INDEX TO AUTHORS

A

ABEL, J. H., JR. See NOEL, DEWEY, ABEL, and THOMPSON, 830

ALLEN, RICHARD D. Fine structure of membranous and microfibrillar systems in the cortex of *Paramecium caudatum*, 1

ANDERSON, H. CLARKE, and SAJDERA, STANLEY W. The fine structure of bovine nasal cartilage. Extraction as a technique to study proteoglycans and collagen in cartilage matrix, 650

ARMELIN, H. A. See MENEGHINI, ARMELIN, BALSAMO, and LARA, 913

ARSENIS, C., EISENSTEIN, R., SOBLE, L. W., and KUETTNER, K. E. Enzyme activities in chick embryonic cartilage. Their subcellular distribution in isolated chondrocytes, 459

—. See KUETTNER, EISENSTEIN, SOBLE, and ARSENIS, 450

ASADA, Y., and BENNETT, M. V. L. Experimental alteration of coupling resistance at an electrotonic synapse, 159

—. See PAPPAS, ASADA, and BENNETT, 173

B

BALSAMO, J. See MENEGHINI, ARMELIN, BALSAMO, and Lara, 913

BELL, MARY. A comparative study of sebaceous gland ultrastructure in subhuman primates. II. Macaques: crystalline inclusions in the sebaceous cells of *Macaca mulatta*, *M. nemestrina*, *M. speciosa*, *M. fascicularis*, 932

BENNETT, M. V. L. See ASADA and BENNETT, 159

—. See PAPPAS, ASADA, and BENNETT, 173

BERNHARD, W., and VIRON, ANNIE. Improved techniques for the preparation of ultrathin frozen sections, 731

BHARGAVA, MADHU M., and HALVORSON, HARLYN O. Isolation of nuclei from yeast, 423

BOK, DEAN, and HALL, MICHAEL O. The role of the pigment epithelium in the etiology of inherited retinal dystrophy in the rat, 664

BONE, Q., and DENTON, E. J The osmotic effects of electron microscope fixatives, 571

BORNSTEIN, MURRAY B. See MODEL, BORNSTEIN, CRAIN, and PAPPAS, 362

BORSA, J. See CHAPMAN, WEBB, and BORSA, 229

BRAWERMAN, GEORGE. See LEE, KRSMANOVIC, and BRAWERMAN, 683

BURNSTOCK, GEOFFREY. See CAMPBELL, UEHARA, MARK, and BURNSTOCK, 21

BYERS, THOMAS J. See MATTAR and BYERS, 507

C

CAMPBELL, GORDON R., UEHARA, YASUO, MARK, GERDA, and BURNSTOCK, GEOFFREY. Fine structure of smooth muscle cells grown in tissue culture 21

CANTRAINE, F. R. L. See VASSART, DUMONT, and CANTRAINE, 210

CASSADY, WILLIAM E., and WAGNER, ROBERT P. Separation of mitochondrial membranes of *Neurospora crassa*. I. Localization of L-kynurenine-3-hydroxylase, 536

CHAPMAN, J. D., WEBB, R. G., and BORSA, J. ATP pool levels in synchronously growing Chinese hamster cells, 229

CHEETHAM, R. D., MORRÉ, D. JAMES, PANNEK, CAROL, and FRIEND, DANIEL S. Isolation of a Golgi apparatus-rich fraction from rat liver. IV. Thiamine pyrophosphatase, 899

COMISSIONG, E. A., STANLEY, D. W., and HULTIN, H. O. Inhibition of emptying of skeletal muscle cell segments by adenine nucleotides and polyvalent cations, 430

CRAIG, I. W., and GIBOR, A. Chloroplast development in Charophyceae 950

CRAIN, STANLEY M, See MODEL, BORNSTEIN, CRAIN, and PAPPAS, 362

CUNNINGHAM, DENNIS D. See PARISER and CUNNINGHAM, 525

D

DARRAH, HILARY K., HEDLEY-WHYTE, JOHN, and HEDLEY-WHYTE, E. TESSA. Radioautography of cholesterol in lung. An assessment of different tissue processing techniques, 345

DENTON, E. J. See BONE and DENTON, 571

DEVINE, CARRICK E,, and SOMLYO, ANDREW P. Thick filaments in vascular smooth muscle, 636

DEWEY, W. C. See NOEL, DEWEY, ABEL, and THOMPSON, 830

DUMONT, J. E. See VASSART, DUMONT, and CANTRAINE, 210

E

EDDY, E. M., and ITO, SUSUMU. Fine structural and radioautographic observations on dense perinuclear cytoplasmic material in tadpole oocytes, 90

EISENSTEIN, R. See ARSENIS, EISENSTEIN, SOBLE, and KUETTNER, 459

—. See KUETTNER, EISENSTEIN, SOBLE, and ARSENIS, 450

F

FISHER, HAROLD W. See HODGSON and FISHER, 945

FLICKINGER, CHARLES J. Decreased formation of Golgi bodies in amebae in the presence of RNA and protein synthesis inhibitors, 221

FONTE, VIRGINIA G., SEARLS, ROBERT L., and HILFER, S. ROBERT. The relationship between cilia and cell division and differentiation, 226

FRANZINI-ARMSTRONG, CLARA. Studies of the triad. II. Penetration of tracers into the junctional gap, 916

FRIEDMAN, MORTON H. Arm-bearing microtubules associated with an unusual desmosome-like junction, 916

FRIEND, DANIEL S. See CHEETHAM, MORRÉ, PANNEK, and FRIEND, 899

G

GERGELY, J. See NAKAMURA, SRETER, and GERGELY, 883

GIBOR, A.. See CRAIG and GIBOR, 950

GILLIS, JEAN-MARIE, and WIBO, MAURICE. Accurate measurement of the thickness of ultrathin sections by interference microscopy, 947

GREIDER, M. H. See MALAISSE-LAGAE, GREIDER, MALAISSE, and LACY, 530

GROEN, J. B. See VAN ITERSON and GROEN, 553

GROSS, PAUL R. See HOGAN and GROSS, 692

H

HADDAD, A. SMITH, MEREDITH D., HERSCOVICS, ANNETTE, NADLER, N. J., and LEBLOND, C. P. Radioautographic study of in vivo and in vitro incorporation of fucose-^{3}H into thyroglobulin by rat thyroid follicular cells, 856

HALL, MICHAEL O. See BOK and HALL, 664

HALLUM, JULES V. See PERLIN and HALLUM, 66

HALVORSON, HARLYN O. See BHARGAVA and HALVORSON, 423

HEDLEY-WHYTE E. TESSA. See DARRAH, HEDLEY-WHYTE, and HEDLEY-WHYTE, 345

HEDLEY-WHYTE, JOHN. See DARRAH, HEDLEY-WHYTE, and HEDLEY-WHYTE, 345

HERSCOVICS, ANNETTE. See HADDAD, SMITH, HERSCOVICS, NADLER, and LEBLOND, 856

HILFER, S. ROBERT. See FONTE, SEARLS, and HILFER, 226

HODGSON, JOHN R., and FISHER, HAROLD W. Formation of polyribosomes during recovery from contact inhibition of replication, 945

HOGAN, BRIGID, and GROSS, PAUL R. The effect of protein synthesis inhibition on the entry of messenger RNA into the cytoplasm of sea urchin embryos, 692

HOLT, CHARLES E. See HORWITZ and HOLT, 546

HOLTZMAN, ERIC. See MASUR, HOLTZMAN, SCHWARTZ, and WALTER, 582

HORWITZ, HENRY B., and HOLT CHARLES E. Specific inhibition by ethidium bromide of mitochondrial DNA synthesis in *Physarum polycephalum*, 546

HSU, DORA. See KRISHAN and HSU, 927

HULTIN, H. O. See COMISSIONG, STANLEY, and HULTIN, 430

I

INGRAM, VERNON M. See MANIATIS and INGRAM, 372, 380, 390

ITO, SUSUMU. See EDDY and ITO, 90

IWAYAMA, TAKASHI. Nexuses between areas of the surface membrane of the same arterial smooth muscle cell, 521

J

JAMIESON, J. D. See MELDOLESI, JAMIESON, and PALADE, 109, 130, 150

JEWETT, PAUL H., SOMMER, J. R., and JOHNSON, E. A. Cardiac muscle; its ultrastructure in the finch and hummingbird with special reference to the sarcoplasmic reticulum, 50

JOHNSON, E. A. See JEWETT, SOMMER, and JOHNSON, 50

K

KALANT, H. See RYAN, KALANT, and THOMAS, 235

KARNOVSKY, MORRIS J. See SCHNEEBERGER and KARNOVSKY, 319

KELLY, A. M. Sarcoplasmic reticulum and T tubules in differentiating rat skeletal muscle, 335

KRAVITZ, EDWARD A. See ORKAND and KRAVITZ, 75

KRAWCZYK, WALTER S. A pattern of epidermal cell migration during wound healing, 247

KRESS, YVONNE, WITTNER, MURRAY, and ROSENBAUM, ROBERT M. Sites of cytoplasmic ribonucleoprotein-filament assembly in relation to helical body formation in axenic trophozoites of *Entamoeba histolytica*, 773

KRISHAN, AWTAR, and HSU, DORA. Vinblastine-induced ribosomal complexes. Effect of some metabolic inhibitors on their formation and structure, 927

KRSMANOVIC, VELIBOR. See LEE, KRSMANOVIC, and BRAWERMAN, 683

KUETTNER, K. E., EISENSTEIN, R., SOBLE, L. W., and ARSENIS, C. Lysozyme in epiphyseal cartilage. IV. Embryonic chick cartilage lysozyme—its localization and partial characterization, 450

—. See ARSENIS, EISENSTEIN, SOBLE, and KUETTNER, 459

KUROIWA, TSUNEYOSHI, and TANAKA, NOBUNORI. Fine structures of interphase nuclei. IV. The behavior of late replicating chromatin during a late portion of the S period as revealed by electron microscope radioautography, 939

L

LACY, P. E. See MALAISSE-LAGAE, GREIDER, MALAISSE, and LACY, 530

LANDIS, STORY C. See MCINTOSH and LANDIS, 468

LARA, F. J. S. See MENEGHINI, ARMELIN, BALSAMO, and LARA, 913

LEBLOND, C. P. See HADDAD, SMITH, HERSCOVICS, NADLER, and LEBLOND, 856

LEE, SE YONG, KRSMANOVIC, VELIBOR, and BRAWERMAN, GEORGE. Attachment of ribosomes to membranes during polysome formation in mouse sarcoma 180 cells, 683
LENK, R., and PENMAN, S. Morphological studies of cells grown in the absence of mitochondrial-specific protein synthesis, 541
LESKES, A., SIEKEVITZ, P., and PALADE, G. E. Differentiation of endoplasmic reticulum in hepatocytes. I. Glucose-6-phosphatase distribution *in situ*, 264
—, —, and —. Differentiation of endoplasmic reticulum in hepatocytes. II. Glucose-6-phosphatase in rough microsomes, 288

M

MALAISSE, W. J. See MALAISSE-LAGAE, GREIDER, MALAISSE, and LACY, 530
MALAISSE-LAGAE, F., GREIDER, M. H., MALAISSE, W. J., and LACY, P. E. The stimulus-secretion coupling of glucose-induced insulin release. IV. The effect of vincristine and deuterium oxide on the microtubular system of the pancreatic beta cell, 530
MALAWISTA, STEPHEN E. The melanocyte model. Colchicine-like effects of other antimitotic agents, 848
MANIATIS, GEORGE M., and INGRAM, VERNON M. Erythropoiesis during amphibian metamorphosis. I. Site of maturation of erythrocytes in *Rana catesbeiana*, 372
—, and —. Erythropoiesis during amphibian metamorphosis. II. Immunochemical study of larval and adult hemoglobins of *Rana catesbeiana*, 380
—, and —. Erythropoiesis during amphibian metamorphosis. III. Immunochemical detection of tadpole and frog hemoglobins (*Rana catesbeiana*) in single erythrocytes, 390
MARK, GERDA. See CAMPBELL, UEHARA, MARK, and BURNSTOCK, 21
MASUR, SANDRA K., HOLTZMAN, ERIC, SCHWARTZ, IRVING L., and WALTER, RODERICH. Correlation between pinocytosis and hydroosmosis induced by neurohypophyseal hormones and mediated by adenosine 3′,5′-cyclic monophosphate, 582
MATTAR, FATHY E., and BYERS, THOMAS J. Morphological changes and the requirements for macromolecule synthesis during excystment of *Acanthamoeba castellanii*, 507
MCCARL, RICHARD L. See SHALER and MCCARL, 205
MCINTOSH, J. RICHARD, and LANDIS, STORY C. The distribution of spindle microtubules during mitosis in cultured human cells, 468
MELDOLESI, J., JAMIESON, J. D., and PALADE, G. E. Composition of cellular membranes in the pancreas of the guinea pig. I. Isolation of membrane fractions, 109
—, —, and —. Composition of cellular membranes in the pancreas of the guinea pig. II. Lipids, 130
—, —, and —. Composition of cellular membranes in the pancreas of the guinea pig. III. Enzymatic activities, 150
MENEGHINI, R., ARMELIN, H. A., BAISAMO, J., and LARA, F. J. S. Indication of gene amplification in *Rhynchosciara* by RNA-DNA hybridization, 913
MISCH, DONALD W. See RADFORD and MISCH, 702
MODEL, PAT G., BORNSTEIN, MURRAY B., CRAIN, STANLEY M., and PAPPAS, GEORGE D. An electron microscopic study of the development of synapses in cultured fetal mouse cerebrum continuously exposed to Xylocaine, 362
MOLLENHAUER, HILTON H. Fragmentation of mature dictyosome cisternae, 212
MORRÉ, D. JAMES. See CHEETHAM, MORRÉ, PANNEK, and FRIEND, 899

N

NADLER, N. J.. See HADDAD, SMITH, HERSCOVICS, NADLER, and LEBLOND, 856
NAKAMURA, A., SRETER, F., and GERGELY, J. Comparative studies of light meromyosin paracrystals derived from red, white, and cardiac muscle myosins, 883
NANNINGA, N. Uniqueness and location of the fracture plane in the plasma membrane of *Bacillus subtilis*, 564
NOEL, J. S., DEWEY, W. C., ABEL, J. H., JR., and THOMPSON, R. P. Ultrastructure of the nucleolus during the Chinese hamster cell cycle, 830
NOZAWA, YOSHINORI, and THOMPSON, GUY A., JR. Studies of membrane formation in *Tetrahymena pyriformis*. II. Isolation and lipid analysis of cell fractions, 712
—, and —. Studies of membrane formation in *Tetrahymena pyriformis*. III. Lipid incorporation into various cellular membranes of logarithmic phase cultures, 722

O

OBERPRILLER, JEAN C. See OBERPRILLER and OBERPRILLER, 560
OBERPRILLER, JOHN, and OBERPRILLER, JEAN C. Mitosis in adult newt ventricle, 560
OKUBO, CASE K. See RASKAS and OKUBO, 438
ORKAND, PAULA M., and KRAVITZ, EDWARD A. Localization of the sites of γ-aminobutyric acid (GABA) uptake in lobster nerve-muscle preparations, 75

P

PALADE, G. E. See LESKES, SIEKEVITZ, and PALADE, 264, 288
—. See MELDOLESI, JAMIESON, and PALADE, 109, 130, 150
PANNEK, CAROL. See CHEETHAM, MORRÉ, PANNEK, and FRIEND, 899
PAPPAS, GEORGE D., ASADA, Y., and BENNETT, M. V. L. Morphological correlates of increased coupling resistance at an electrotonic synapse, 173
—. See MODEL, BORNSTEIN, CRAIN, and PAPPAS, 362
PARISER, ROBERT J., and CUNNINGHAM, DENNIS D. Transport inhibitors released by 3T3 mouse cells and their relation to growth control, 525

PEDERSON, THORU, and ROBBINS, ELLIOTT. A method for improving synchrony in the G_2 phase of the cell cycle, 942
PENMAN, S. See LENK and PENMAN, 541
PERLIN, MINA, and HALLUM, JULES V. Effect of acid pH on macromolecular synthesis in L cells, 66
PHILLIPS, DAVID M., and PHILLIPS, STEPHANIE G. Distinctive characteristics of nucleoli of two established cell lines, 803
—. See PHILLIPS and PHILLIPS, 785
PHILLIPS, STEPHANIE G., and PHILLIPS, DAVID M. Nucleoli of diploid cell strains. Their normal ultrastructure and the effects of toyocamycin and actinomycin D, 785
—. See PHILLIPS and PHILLIPS, 803
PRZYBYLSKI, RONALD J. Occurrence of centrioles during skeletal and cardiac myogenesis, 214

R

RADFORD, SHARON V., and MISCH, DONALD W. The cytological effect of ecdysterone on the midgut cells of the flesh-fly *Sarcophaga bullata*, 702
RASKAS, HESCHEL J., and OKUBO, CASE K. Transport of viral RNA in KB cells infected with adenovirus type 2, 438
REDMAN, COLVIN M. Phospholipid metabolism in intact and modified erythrocyte membranes, 35
ROBBINS, ELLIOTT. See PEDERSON and ROBBINS, 942
ROSENBAUM, ROBERT M. See KRESS, WITTNER, and ROSENBAUM, 773
RUDICK, V. L. Relationships between nucleic acid synthetic patterns and encystment in aging unagitated cultures of *Acanthamoeba castellanii*, 498
RUSTAD, LYNNE C. See RUSTAD, YUYAMA, and RUSTAD, 906
RUSTAD, RONALD C., YUYAMA, SHUHEI, and RUSTAD, LYNNE C. Nuclear-cytoplasmic relations in the mitosis of sea urchin eggs. III. γ-ray–induced damage to whole eggs and nucleate and anucleate half-eggs, 906
RYAN, K. J., KALANT, H., and THOMAS, E. LLEWELLYN. Free-flow electrophoretic separation and electrical surface properties of subcellular particles from guinea pig brain, 235

S

SAJDERA, STANLEY W. See ANDERSON and SAJDERA, 650
SCHNEEBERGER, EVELINE E., and KARNOVSKY, MORRIS J. The influence of intravascular fluid volume on the permeability of newborn and adult mouse lungs to ultrastructural protein tracers, 319
SCHWARTZ, IRVING L. See MASUR, HOLTZMAN, SCHWARTZ, and WALTER, 582
SEARLS, ROBERT L., See FONTE, SEARLS, and HILFER, 226
SHALER, ROBERT C., and MCCARL, RICHARD L. The mechanism of cortisol action in cultured rat heart cells. Effects on RNA and protein synthesis, 205
SIEKEVITZ, P. See LESKES, SIEKEVITZ, and PALADE, 264, 288
SMITH, MEREDITH D. See HADDAD, SMITH, HERSCOVICS, NADLER, and LEBLOND, 856
SOBLE, L. W. See ARSENIS, EISENSTEIN, SOBLE, and KUETTNER, 459
—. See KUETTNER, EISENSTEIN, SOBLE, and ARSENIS, 450
SOMLYO, ANDREW P. See DEVINE and SOMLYO, 636
SOMMER, J. R.. See JEWETT, SOMMER, and JOHNSON, 50
SPOONER, BRIAN S., YAMADA, KENNETH M., and WESSELLS, NORMAN K. Microfilaments and cell locomotion, 595
—. See YAMADA, SPOONER, and WESSELLS, 614
SRETER, F. See NAKAMURA, SRETER, and GERGELY, 883
STANLEY, D. W. See COMISSIONG, STANLEY, and HULTIN, 430
STUART, K. D. Evidence for the retention of kinetoplast DNA in an acriflavin-induced dyskinetoplastic strain of *Typanosoma brucei* which replicates the altered central element of the kinetoplast, 189
SZUBINSKA, BARBARA. "New membrane" formation in *Amoeba proteus* upon injury of individual cells. Electron microscope observations, 747

T

TANAKA, NOBUNORI. See KUROIWA and TANAKA, 939
THOMAS, E. LLEWELLYN. See RYAN, KALANT, and THOMAS, 235
THOMPSON, E. BRAD, and TOMKINS, GORDON M. A histochemical method for the demonstration of tyrosine aminotransferase in tissue culture cells, and studies of this enzyme in HTC cells, 921
THOMPSON, GUY A., JR. See NOZAWA and THOMPSON, 712, 722
THOMPSON, R. P. See NOEL, DEWEY, ABEL, and THOMPSON, 830
TIELEMANS, LOUIS. See WANSON and TIELEMANS, 816
TOMKINS, GORDON M. See THOMPSON and TOMKINS, 921

U

UEHARA, YASUO. See CAMPBELL, UEHARA, MARK, and BURNSTOCK, 21
UGEL, ARTHUR R. Studies on isolated aggregating oligoribonucleoproteins of the epidermis with histochemical and morphological characteristics of keratohyalin, 405

V

VAN ITERSON, WOUTERA, and GROEN, J. B. DNA-membrane complexes of *Bacillus subtilis*: contact of mesosomal vesicles and nuclear fibrils, 553
VASSART, G. M., DUMONT, J. E., and CANTRAINE, F. R. L. Interpretation of surface aspects of cell sections, 210
VIRON, ANNIE. See BERNHARD and VIRON, 731

W

WAGNER, ROBERT P. See CASSADY and WAGNER, 536

WALTER, RODERICH. See MASUR, HOLTZMAN, SCHWARTZ, and WALTER, 582
WANSON, JEAN-CLAUDE, and TIELEMANS, LOUIS. Morphological and biochemical characteristics of glycogen particles isolated from rabbit polymorphonuclear leukocytes, 816
WEBB, R. G. See CHAPMAN, WEBB, and BORSA, 229
WESSELLS, NORMAN K. See SPOONER, YAMADA, and WESSELLS, 595
—. See YAMADA, SPOONER, and WESSELLS, 614
WIBO, MAURICE. See GILLIS and WIBO, 947
WITTNER, MURRAY. See KRESS, WITTNER, and ROSENBAUM, 773
WOOLLEY, D. M. Striations in the peripheral fibers of rat and mouse spermatozoa, 936

Y

YAMADA, KENNETH M., SPOONER, BRIAN S., and WESSELLS, NORMAN K. Ultrastructure and function of growth cones and axons of cultured nerve cells, 614
—. See SPOONER, YAMADA, and WESSELLS, 595
YOUNG, RICHARD W. The renewal of rod and cone outer segments in the rhesus monkey, 303
YUYAMA, SHUHEI. See RUSTAD, YUYAMA, and RUSTAD, 906

INDEX TO SUBJECTS

A

Acriflavin-induced dyskinetoplastic strain of *Trypanosoma brucei*, retention of kinetoplast DNA in, biochemical and EM study, 189

Actinomycin D and toyocamycin, effects of on normal ultrastructure of nucleoli of diploid cell strains, radioautographic and EM study, 785

— and toyocamycin, effects of on nucleoli of established cell lines KB6 and L929, radioautographic and EM study, 803

Adenine nucleotides and polyvalent cations, inhibition of emptying of chicken skeletal muscle cell segments by, light microscopic study, 430

Adenosine monophosphate-3′,5′, cyclic, mediation by of pinocytosis and hydroosmosis, induction by neurohypophyseal hormones, in toad bladder, cytochemical EM study, 582

Adenovirus type 2, transport of viral RNA in KB cells infected with, biochemical study, 438

Alga *Nitella*, chloroplast development in, light microscopic study, 950

γ-Aminobutyric acid (GABA), localization of sites of uptake of in lobster nerve-muscle preparations, biochemical and radioautographic light and EM study, 75

ATP pool levels in synchronously growing Chinese hamster cells, biochemical study, 229

Axon, septate, of crayfish *Procambarus*, experimental alteration of coupling resistance at electrotonic synapse in, physiological study, 159

—, septate, of crayfish *Procambarus*, morphological correlates of increased coupling resistance at electrotonic synapse, light and EM study, 173

Axons and growth cones, ultrastructure and function of, in cultured nerve cells, radioautographic and EM study, 614

B

Bacteria *Bacillus subtilis*, DNA-membrane complexes of, contact of mesosomal vesicles and nuclear fibrils, EM study, 553

— *Bacillus subtilis*, uniqueness and location of fracture plane in plasma membrane of, EM study, 564

Bird, finch *Taeniopygia castonotis*, hummingbird *Rufous tailed*, and chicken *Leghorn*, ultrastructure of cardiac muscle of, with special reference to sarcoplasmic reticulum, phase contrast and EM study, 50

Bladder, of toad, correlation between pinocytosis and hydroosmosis induced by neurohypophyseal hormones and mediated by cyclic 3′,5′-AMP in, cytochemical EM study, 582

Brain, of guinea pig, free-flow electrophoretic separation and electrical surface properties of subcellular particles from, biochemical and EM study, 235

C

Cartilage, of bovine nasal septa, extraction as technique to study proteoglycans and collagen in matrix of, biochemical and light and EM study, 650

—, of chick embryo, subcellular distribution of enzyme activities in isolated chondrocytes of, biochemical study, 459

—, epiphyseal, of chick embryo, localization and partial characterization of lysozyme in, biochemical and immunochemical study, 450

Cations, polyvalent, and adenine nucleotides, inhibition of emptying of chicken skeletal muscle cell segments by, light microscopic study, 430

Cattle hoof epidermis, isolated aggregating oligoribonucleoproteins of, histochemical and morphological characteristics of keratohyalin, biochemical and light and EM study, 405

Cell, of arterial smooth muscle, nexuses between areas of surface membrane of, EM study, 521

— cycle, of Chinese hamster lung, ultrastructure of nucleolus during, radioautographic and EM study, 830

— division and differentiation, relationship of to cilia, in chick embryo limb bud, EM study, 226

— fractions, isolation and lipid analysis of, membrane formation in *Tetrahymena pyriformis*, biochemical and EM study, 712

— lines, KB6 and L929, distinctive characteristics of nucleoli of, effects of toyocamycin and actinomycin D, radioautographic and EM study, 803

— migration, pattern of, during wound healing in mouse epidermis, light and EM study, 247

— segments of chicken skeletal muscle, inhibition of emptying of by adenine nucleotides and polyvalent cations, light microscopic study, 430

—, thyroid, of sheep, interpretation of surface aspects of cell sections, mathematical study, 210

Cells, acinar, of guinea pig pancreas, enzymatic activities of membrane fractions of, biochemical study, 150

—, acinar, of guinea pig pancreas, isolation of membrane fractions of, biochemical and EM study, 109

—, acinar, of guinea pig pancreas, lipid composition of membrane fractions of, biochemical and EM study, 130

—, beta, of rat pancreas, effect of vincristine and deuterium oxide on microtubular system of, stim-

ulus-secretion coupling of glucose-induced insulin release, biochemical and EM study, 530
Cells, Chinese hamster, synchronously growing, ATP pool levels in, biochemical study, 229
—, cultured from Chinese hamster and mouse fetus, normal ultrastructure of nucleoli of, effects of toyocamycin and actinomycin D, radioautographic and EM study, 785
—, cultured human WI-38 and HeLa, distribution of spindle microtubules during mitosis in, light and EM study, 468
—, cultured nerve, of chick embryo, ultrastructure and function of growth cones and axons of, radioautographic and EM study, 614
—, Earle's L-929 mouse fibroblasts and human lymphoblasts, effect of metabolic inhibitors on formation and structure of vinblastine-induced ribosomal complexes in, EM study, 927
—, erythrocytes, single, detection of tadpole and frog hemoglobins in, during metamorphosis, biochemical and immunochemical study, 390
—, erythrocytes, site of maturation of in frog *Rana catesbeiana* during metamorphosis, histological study, 372
—, 3T3 fibroblasts, formation of polyribosomes during recovery from contact inhibition of replication, biochemical study, 945
—, follicular, of rat thyroid, in vivo and in vitro incorporation of fucose-^{3}H into thyroglobulin by, radioautographic light and EM study, 856
—, glial and fibroblast, from chick embryo, microfilaments and cell locomotion in, radioautographic and light and EM study, 595
—, heart, of rat, effects of cortisol action on RNA and protein synthesis in, biochemical study, 205
—, HeLa, grown in absence of mitochondrial-specific protein synthesis, effect on morphology of, EM study, 541
—, HeLa S3 strain, method for improving synchrony in G_2 phase of, biochemical study, 942
—, HTC, and tissue culture cell lines, tyrosine aminotransferase in, histochemical study, 921
—, individual, of *Amoeba proteus*, "new membrane" formation upon injury of, EM study, 747
—, KB, infected with adenovirus type 2, transport of viral RNA in, biochemical study, 438
—, L strain clone 929, effect of acid pH on macromolecular synthesis in, biochemical study, 66
—, midgut, of flesh-fly *Sarcophaga bullata*, effect of ecdysterone on, histochemical and EM study, 702
—, mouse 3T3 line, transport inhibitors released by, relation to growth control, biochemical study, 525
—, mouse sarcoma 180, attachment of ribosomes to membranes during polysome formation in, biochemical and EM study, 683
—, red blood, human, phospholipid metabolism in intact and modified membranes of, biochemical study, 35
—, sebaceous, crystalline inclusions in, in subhuman primates, histochemical and EM study, 932
—, smooth muscle of chick embryo gizzard, grown in tissue culture, phase contrast and EM study, 21
Centrioles, occurrence of during skeletal and cardiac myogenesis, in chick embryo, light and EM study, 214
Cerebrum, cultured, of fetal mouse, continuously exposed to Xylocaine, development of synapses in, electrophysiological and EM study, 362
Chick, embryo, enzyme activities in cartilage of, subcellular distribution in isolated chondrocytes, biochemical study, 459
— embryo gizzard, smooth muscle cells of, grown in tissue culture, phase contrast and EM study, 21
— embryo, limb buds, relationship between cilia and cell division and differentiation, EM study, 226
—, embryo, localization and partial characterization of lysozyme in epiphyseal cartilage of, biochemical and immunochemical study, 450
— embryo, skeletal and cardiac muscle, occurrence of centrioles during myogenesis, light and EM study, 214
Chicken, skeletal muscle, inhibition of emptying of cell segments of by adenine nucleotides and polyvalent cations, light microscopic study, 430
Chinese hamster cell cycle, ultrastructure of nucleolus during, radioautographic and EM study, 830
Chloramphenicol or ethidium bromide, effect of on morphology of HeLa cells, EM study, 541
Chloroplast development in *Nitella*, light microscopic study, 950
Cholesterol, in mouse lung, assessment of different tissue processing techniques, radioautographic EM study, 345
Chondrocytes, from chick embryonic cartilage, subcellular distribution of enzyme activities in, biochemical study, 459
Chromatin, late replicating, behavior of during late portion of S period, in interphase nuclei of *Crepis capillaris*, radioautographic EM study, 939
Cilia, relationship to cell division and differentiation, in chick embryo limb bud, EM study, 226
Cisternae, mature dictyosome, of maize root tips, fragmentation of, EM study, 212
Colchicine-like effects of other antimitotic agents on melanocyte model, in frog skin, cytological study, 848
Collagen and proteoglycans in bovine nasal cartilage matrix, extraction of, biochemical and light and EM study, 650
Cone and rod outer segments, renewal of, in rhesus monkey, radioautographic EM study, 303
Cones, growth, and axons, ultrastructure and function of, in cultured nerve cells, radioautographic and EM study, 614
Cortex, of *Paramecium caudatum*, fine structure of membranous and microfibrillar system in, EM study, 1
Cortisol, mechanism of action in cultured rat heart cells, effects on RNA and protein synthesis, biochemical study, 205
Coupling resistance, experimental alteration of at electrotonic synapse, in crayfish septate axon, physiological study, 159
— resistance, increased, morphological correlates of at electrotonic synapse, in crayfish septate axon, light and EM study, 173

Cow, nasal cartilage, fine structure of, extraction as technique to study proteoglycans and collagen in matrix of, biochemical and light and EM study, 650
Crayfish *Procambarus*, septate axon, experimental alteration of coupling resistance at electrotonic synapse in, physiological study, 159
— *Procambarus*, septate axon, morphological correlates of increased coupling resistance at electrotonic synapse, light and EM study, 173
Cultures, logarithmic phase, of *Tetrahymena pyriformis*, lipid incorporation into various cellular membranes of, biochemical study, 722
Cytoplasm, perinuclear, dense material, in tadpole oocytes, cytochemical and radioautographic light and EM study, 90
—, of sea urchin embryo, effect of protein synthesis inhibition on entry of messenger RNA into, biochemical study, 692
—, sites of ribonucleoprotein-filament assembly in, in relation to helical body formation in axenic trophozoites of *Entamoeba histolytica*, radioautographic and EM study, 773
Cytoplasmic-nuclear relations in mitosis of sea urchin eggs, γ-ray–induced damage to whole eggs and nucleate and anucleate half-eggs, cytological study, 906

D

Dense bodies, perinuclear cytoplasmic, in tadpole oocytes, cytochemical and radioautographic light and EM study, 90
Desmosome-like junction, in tibia of cricket *Gryllus assimilis*, arm-bearing microtubules associated with, light and EM study, 916
Deuterium oxide and vincristine, effect on microtubules of rat pancreatic beta cells, stimulus-secretion coupling of glucose-induced insulin release, biochemical and EM study, 530
Dictyosome cisternae, of maize root tips, fragmentation of, EM study, 212
DNA, retention of in kinetoplasts of acriflavin-induced dyskinetoplastic strain of *Trypanosoma brucei*, biochemical and EM study, 189
— synthesis, in mitochondria of *Physarum polycephalum*, specific inhibition by ethidium bromide of, biochemical study, 546
DNA-membrane complexes of *Bacillus subtilis*, contact of mesosomal vesicles and nuclear fibrils, EM study, 553
DNA-RNA hybridization, indication of gene amplification in *Rhynchosciara* by, biochemical study, 913
Dyskinetoplastic strain of *Trypanosoma brucei*, acriflavin-induced, retention of kinetoplast DNA in, biochemical and EM study, 189

E

Ecdysterone, effect of on midgut cells of flesh-fly *Sarcophaga bullata*, histochemical and EM study, 702
Eggs, of sea urchin, whole, nucleate and anucleate halves, nuclear-cytoplasmic relations in mitosis of, γ-ray–induced damage to, cytological study, 906
Electrophoresis, free-flow, and electrical surface properties, of subcellular particles from guinea pig brain, biochemical and EM study, 235
Embryo, chick, enzyme activities in cartilage of, subcellular distribution in isolated chondrocytes, biochemical study, 459
—, chick, limb buds, relationship between cilia and cell division and differentiation, EM study, 226
—, chick, localization and partial characterization of lysozyme in epiphyseal cartilage of, biochemical and immunochemical study, 450
—, chick, skeletal and cardiac muscle, occurrence of centrioles during myogenesis, light and EM study, 214
—, chick, smooth muscle cells of gizzard grown in tissue culture, phase contrast and EM study, 21
—, of mouse, cultured cerebrum continuously exposed to Xylocaine, development of synapses in, electrophysiological and EM study, 362
—, of sea urchin, effect of protein synthesis inhibition on entry of messenger RNA into cytoplasm of, biochemical study, 692
Encystment and nucleic acid synthetic patterns, relationships between, in aging unagitated cultures of *Acanthamoeba castellanii*, biochemical and histological study, 498
Endoplasmic reticulum, differentiation of in rat hepatocyte, glucose-6-phosphatase in rough microsomes, biochemical and cytochemical EM study, 288
— reticulum, differentiation of in rat hepatocyte, *in situ* distribution of glucose-6-phosphatase, biochemical and light and cytochemical EM study, 264
Enzymatic activities of membrane fractions from acinar cells of guinea pig pancreas, biochemical study, 150
Enzyme activities in chick embryonic cartilage, subcellular distribution in isolated chondrocytes, biochemical study, 459
—, glucose-6-phosphatase, in rough microsomes of rat hepatocyte, differentiation of endoplasmic reticulum, biochemical and cytochemical EM study, 288
—, glucose-6-phosphatase, *in situ* distribution of in rat hepatocyte, differentiation of endoplasmic reticulum, biochemical and light and cytochemical EM study, 264
—, L-kynurenine-3-hydroxylase, localization of in mitochondrial membranes of *Neurospora crassa*, biochemical and EM study, 536
—, thiamine pyrophosphatase, in fraction of rat liver rich in Golgi apparatus, biochemical and cytochemical study, 899
—, tyrosine aminotransferase, in tissue culture cells, histochemical study, 921
Epidermis, of cattle hoof, isolated aggregating oligoribonucleoproteins of, histochemical and morphological characteristics of keratohyalin, biochemical and light and EM study, 405
—, of mouse, pattern of cell migration during wound healing in, light and EM study, 247

Epithelium, pigment, role of in etiology of inherited retinal dystrophy in rat, radioautographic light and EM study, 664
Erythrocyte membranes, intact and modified, phospholipid metabolism in, biochemical study, 35
Erythropoiesis during amphibian metamorphosis, detection of tadpole and frog hemoglobins in single erythrocytes, biochemical and immunochemical study, 390
— during amphibian metamorphosis, larval and adult hemoglobins of *Rana catesbeiana*, biochemical and immunochemical study, 380
— during amphibian metamorphosis, site of maturation of erythrocytes in *Rana catesbeiana*, histological study, 372
Ethidium bromide or chloramphenicol, effect of on morphology of HeLa cells, EM study, 541
— bromide, specific inhibition by of mitochondrial DNA synthesis in *Physarum polycephalum*, biochemical study, 546
Excystment of *Acanthamoeba castellanii*, morphological changes and requirements for macromolecule synthesis during, biochemical and phase-contrast microscopic study, 507
Eye, of rat, role of pigment epithelium in etiology of inherited retinal dystrophy in, radioautographic light and EM study, 664
—, of rhesus monkey, renewal of rod and cone outer segments in, radioautographic EM study, 303

F

Fibers, peripheral, of rat and mouse spermatozoa, striations in, EM study, 936
Fibrils, nuclear, and mesosomal vesicles, contact of, DNA-membrane complexes of *Bacillus subtilis*, EM study, 553
Filaments, ribonucleoprotein, sites of cytoplasmic assembly of, in relation to helical body formation in axenic trophozoites of *Entamoeba histolytica*, radioautographic and EM study, 773
—, thick, in rabbit vascular smooth muscle, EM study, 636
Fish, sprat *Clupea sprattus* and herring *Clupea harengus*, osmotic effects of electron microscope fixatives on scales of, physical and light microscopic study, 571
Fixatives, electron microscopic, osmotic effects of on fish scales, physical and light microscopic study, 571
Fluid volume, intravascular, influence of on permeability of newborn and adult mouse lungs to ultrastructural protein tracers, cytochemical EM study, 319
Fracture plane, uniqueness and location of, in plasma membrane of *Bacillus subtilis*, EM study, 564
Frog *Rana catesbeiana*, erythropoiesis during metamorphosis, detection of tadpole and adult hemoglobins in single erythrocytes, biochemical and immunochemical study, 390
— *Rana catesbeiana*, erythropoiesis during metamorphosis, larval and adult hemoglobins of, biochemical and immunochemical study, 380
— *Rana catesbeiana*, erythropoiesis during metamorphosis, site of maturation of erythrocytes in, histological study, 372
Frog *Rana pipiens*, skeletal muscle, penetration of tracers into junctional gap of triad of, EM study, 196
— *Rana pipiens*, skin, colchicine-like effects of other antimitotic agents on melanocyte model, cytological study, 848
Frozen sections, ultrathin, of biological tissues, improved techniques for preparation of, EM study, 731
Fucose, in vivo and in vitro incorporation of into thyroglobulin by rat thyroid follicular cells, radioautographic light and EM study, 856
Fungus *Neurospora crassa*, separation of mitochondrial membranes of, localization of L-kynurenine-3-hydroxylase, biochemical and EM study, 536

G

G_2 phase of cell cycle of HeLa cells, method for improving synchrony in, biochemical study, 942
GABA (γ-aminobutyric acid), localization of sites of uptake of in lobster nerve-muscle preparations, biochemical and radioautographic light and EM study, 75
Gamma ray–induced damage to whole eggs and nucleate and anucleate half-eggs of sea urchin, nuclear-cytoplasmic relations in mitosis, cytological study, 906
Gap, junctional, of frog muscle fiber triad, penetration of tracers into, EM study, 196
Gene amplification in *Rhynchosciara* salivary glands, indication of by RNA-DNA hybridization, biochemical study, 913
Glucose-induced insulin release, stimulus-secretion coupling of, effect of vincristine and deuterium oxide on microtubular system of rat pancreatic beta cells, biochemical and EM study, 530
Glycogen particles isolated from rabbit polymorphonuclear leukocytes, biochemical and EM study, 816
Golgi apparatus, isolation of fraction rich in from rat liver, thiamine pyrophosphatase in, biochemical and cytochemical study, 899
— bodies, decreased formation of in amebae in presence of RNA and protein synthesis inhibitors, EM study, 221
Growth cones and axons, ultrastructure and function of, in cultured nerve cells, radioautographic and EM study, 614
— control, relation to transport inhibitors released by 3T3 mouse cells, biochemical study, 525
Guinea pig, brain, free-flow electrophoretic separation and electrical surface properties of subcellular particles from, biochemical and EM study, 235
—, pancreas, enzymatic activities of membrane fractions from acinar cells of, biochemical study, 150
—, pancreas, isolation of membrane fractions from acinar cells of, biochemical and EM study, 109
—, pancreas, lipid composition of rough and smooth microsomal and zymogen granule membranes and plasmalemmal fraction from acinar cells of, biochemical and EM study, 130

H

Heart, of adult newt, mitosis in ventricle of, light and EM study, 560
— cells, of rat, effects of cortisol action on RNA and protein synthesis in, biochemical study, 205
—, of finch and hummingbird, ultrastructure of muscle of, with special reference to sarcoplasmic reticulum, phase contrast and EM study, 50
Helical body formation in axenic trophozoites of *Entamoeba histolytica*, sites of cytoplasmic ribonucleoprotein-filament assembly in relation to, radioautographic and EM study, 773
Hemoglobins, larval and adult, of *Rana catesbeiana*, detection of in single erythrocytes, during metamorphosis, biochemical and immunochemical study, 390
—, larval and adult, of *Rana catesbeiana*, erythropoiesis during metamorphosis, biochemical and immunochemical study, 380
Hepatocyte, of rat, differentiation of endoplasmic reticulum in, glucose-6-phosphatase distribution *in situ*, biochemical and light and cytochemical EM study, 264
—, of rat, differentiation of endoplasmic reticulum in, glucose-6-phosphatase in rough microsomes, biochemical and cytochemical EM study, 288
Hormone, ecdysterone, effect of on midgut cells of flesh-fly *Sarcophaga bullata*, histochemical and EM study, 702
Hormones, neurohypophyseal, induction by of pinocytosis and hydroosmosis, mediation by cyclic 3′,5′-AMP, in toad bladder, cytochemical EM study, 582
Human, arterial smooth muscle, nexuses between areas of surface membrane of same cell of, EM study, 521
—, red blood cells, phospholipid metabolism in intact and modified membranes of, biochemical study, 35
Hydroosmosis and pinocytosis induced by neurohypophyseal hormones and mediated by cyclic 3′,5′-AMP, correlation between in toad bladder, cytochemical EM study, 582

I

Inclusions, crystalline, in sebaceous cells of subhuman primates, histochemical and EM study, 932
Inhibitors, emetine and actinomycin D, of RNA and protein synthesis, decreased formation of Golgi bodies in amebae in presence of, EM study, 221
—, metabolic, effect of on formation and structure of vinblastine-induced ribosomal complexes, in mouse fibroblasts and human lymphoblasts, EM study, 927
Injury of individual cells in *Amoeba proteus*, "new membrane" formation after, EM study, 747
Insect, cricket *Gryllus assimilis*, tibia, arm-bearing microtubules associated with unusual desmosome-like junction in, light and EM study, 916
—, flesh-fly *Sarcophaga bullata*, effect of ecdysterone on midgut cells of, histochemical and EM study, 702
— *Rhynchosciara angelae*, salivary glands, indication of gene amplification in by RNA-DNA hybridization, biochemical study, 913
Insulin release, glucose-induced, stimulus-secretion coupling of, effect of vincristine and deuterium oxide on microtubular system of rat pancreatic beta cells, biochemical and EM study, 530
Interference microscopy, accurate measurement of thickness of ultrathin sections by, 947

J

Junction, desmosome-like, in tibia of cricket *Gryllus assimilis*, arm-bearing microtubules associated with, light and EM study, 916

K

Keratohyalin, histochemical and morphological characteristics of, from cattle hoof epidermis, biochemical and light and EM study, 405
Kinetoplast DNA, retention of in acriflavin-induced dyskinetoplastic strain of *Trypanosoma brucei*, biochemical and EM study, 189

L

L cells, effect of acid pH on macromolecular synthesis in, biochemical study, 66
Leukocytes, polymorphonuclear, of rabbit, characteristics of glycogen particles isolated from, biochemical and EM study, 816
Limb buds, of chick embryo, relationship between cilia and cell division and differentiation, EM study, 226
Lipid analysis of cell fractions, membrane formation in *Tetrahymena pyriformis*, biochemical and EM study, 712
— composition of membrane fractions of acinar cells of guinea pig pancreas, biochemical and EM study, 130
— incorporation into various cellular membranes of logarithmic phase cultures of *Tetrahymena pyriformis*, biochemical study, 722
Liver, of rat, isolation of Golgi apparatus–rich fraction from, thiamine pyrophosphatase in, biochemical and cytochemical study, 899
Lobster *Homarus americanus*, nerve-muscle preparation, localization of sites of γ-aminobutyric acid (GABA) uptake in, biochemical and radioautographic light and EM study, 75
Locomotion, cell, and microfilaments, in glial cells, radioautographic and light and EM study, 595
Lung, of mouse, cholesterol in, assessment of different tissue processing techniques, radioautographic EM study, 345
—, of newborn and adult mouse, influence of intravascular fluid volume on permeability of to ultrastructural protein tracers, cytochemical EM study, 319
Lysozyme, localization and partial characterization of in chick embryonic epiphyseal cartilage, biochemical and immunochemical study, 450

M

Macaques *Macaca mulatta*, *M. nemestrina*, *M. speciosa*, and *M. fascicularis*, crystalline inclusions in sebaceous cells of, histochemical and EM study, 932

Macromolecule synthesis during excystment of *Acanthamoeba castellanii*, morphological changes and requirements for, biochemical and phase-contrast microscopic study, 507
Melanocyte model, in frog skin, colchicine-like effects of other antimitotic agents on, cytological study, 848
Membrane, in *Amoeba proteus*, new formation of upon injury of individual cells, EM study, 747
— formation in *Tetrahymena pyriformis*, isolation and lipid analysis of cell fractions, biochemical and EM study, 712
— formation in *Tetrahymena pyriformis*, lipid incorporation into various cellular membranes of logarithmic phase cultures, biochemical study, 722
— fractions, rough and smooth microsomal, zymogen granule, and plasmalemmal, of acinar cells of guinea pig pancreas, enzymatic activities of, biochemical study, 150
— fractions, rough and smooth microsomal, zymogen granule, and plasmalemmal, of acinar cells of guinea pig pancreas, isolation of, biochemical and EM study, 109
— fractions, rough and smooth microsomal, zymogen granule, and plasmalemmal, of acinar cells of guinea pig pancreas, lipid composition of, biochemical and EM study, 130
—, plasma, of *Bacillus subtilis*, uniqueness and location of fracture plane of, EM study, 564
—, surface, of same arterial smooth muscle cell, nexuses between areas of, EM study, 521
Membrane-DNA complexes of *Bacillus subtilis*, contact of mesosomal vesicles and nuclear fibrils, EM study, 553
Membranes, attachment of ribosomes to during polysome formation in mouse sarcoma 180 cells, biochemical and EM study, 683
—, intact and modified, of human erythrocytes, phospholipid metabolism in, biochemical study, 35
—, mitochondrial, separation of, in *Neurospora crassa*, localization of L-kynurenine-3-hydroxylase, biochemical and EM study, 536
Membranous and microfibrillar systems in cortex of *Paramecium caudatum*, EM study, 1
Mesosomal vesicle and nuclear fibrils, contact of, DNA-membrane complexes of *Bacillus subtilis*, EM study, 553
Metamorphosis, in frog *Rana catesbeiana*, detection of tadpole and adult hemoglobins in single erythrocytes, biochemical and immunochemical study, 390
—, in frog *Rana catesbeiana*, larval and adult hemoglobins during, biochemical and immunochemical study, 380
—, in frog *Rana catesbeiana*, site of maturation of erythrocytes during, histological study, 372
Microfibrillar and membranous systems in cortex of *Paramecium caudatum*, EM study, 1
Microfilaments and cell locomotion, in glial cells, radioautographic and light and EM study, 595
Microscopy, interference, accurate measurement of thickness of ultrathin sections by, 947
Microsomes, rough, in rat hepatocyte, glucose-6-phosphatase in, differentiation of endoplasmic reticulum, biochemical and cytochemical EM study, 288
Microtubules, arm-bearing, associated with unusual desmosome-like junction, in tibia of cricket *Gryllus assimilis*, light and EM study, 916
— of rat pancreatic beta cell, effect of vincristine and deuterium oxide on, stimulus-secretion coupling of glucose-induced insulin release, biochemical and EM study, 530
—, spindle, distribution of during mitosis in cultured human WI-38 and HeLa cells, light and EM study, 468
Mitochondria, of *Neurospora crassa*, separation of membranes of, localization of L-kynurenine-3-hydroxylase, biochemical and EM study, 536
—, of *Physarum polycephalum*, specific inhibition by ethidium bromide of DNA synthesis in, biochemical study, 546
Mitochondrial-specific protein synthesis, morphology of HeLa cells grown in absence of, EM study, 541
Mitosis, in adult newt ventricle, light and EM study, 560
—, anti-, colchicine-like effects of colcemid, vinblastine, vincristine, and griseofulvin on melanocyte model in frog skin, cytological study, 848
—, distribution of spindle microtubules during, in cultured human WI-38 and HeLa cells, light and EM study, 468
—, relationship to cilia, in chick embryo limb bud, EM study, 226
—, of sea urchin eggs, nuclear-cytoplasmic relations in, γ-ray–induced damage to whole eggs and nucleate and anucleate half-eggs, cytological study, 906
Monkey, rhesus *Macaca mulatta*, renewal of rod and cone outer segments in, radioautographic EM study, 303
Mouse, cultured fetal cerebrum, continuously exposed to Xylocaine, development of synapses in, electrophysiological and EM study, 362
—, epidermis, pattern of cell migration during wound healing in, light and EM study, 247
—, lung, cholesterol in, assessment of different tissue processing techniques, radioautographic EM study, 345
—, newborn and adult, lung, influence of intravascular fluid volume on permeability of to ultrastructural protein tracers, cytochemical EM study, 319
—, and rat, spermatozoa, striations in peripheral fibers of, EM study, 936
—, sarcoma 180, attachment of ribosomes to membranes during polysome formation in cells of, biochemical and EM study, 683
Muscle, cardiac, of finch and hummingbird, ultrastructure of, with special reference to sarcoplasmic reticulum, phase contrast and EM study, 50
—, cardiac and skeletal, of chick embryo, occurrence of centrioles during myogenesis, light and EM study, 214
—, red, white, and cardiac, comparison of light meromyosin paracrystals derived from myosins of, EM study, 883

Muscle, skeletal, of chicken, inhibition of emptying of cell segments of by adenine nucleotides and polyvalent cations, light microscopic study, 430
—, skeletal, differentiating, of rat, sarcoplasmic reticulum and T tubules in, EM study, 335
—, skeletal, of frog, penetration of tracers into junctional gap of triad of, EM study, 196
—, smooth, human arterial, nexuses between areas of surface membrane of same cell of, EM study, 521
—, smooth, vascular, of rabbit, thick filaments in, EM study, 636
Myogenesis, skeletal and cardiac, in chick embryo, occurrence of centrioles during, light and EM study, 214
Myosins, from red, white, and cardiac muscle, comparison of light meromyosin paracrystals derived from, EM study, 883

N

Nasal cartilage, bovine, fine structure of, extraction as technique to study proteoglycans and collagen in matrix of, biochemical and light and EM study, 650
Nerve-muscle preparation, of lobster, localization of sites of γ-aminobutyric acid (GABA) uptake in, biochemical and radioautographic light and EM study, 75
Newt *Diemictylus viridescens*, adult, mitosis in ventricle of, light and EM study, 560
Nexuses between areas of surface membrane of same arterial smooth muscle cell, EM study, 521
Nuclear fibrils and mesosomal vesicles, contact of, DNA-membrane complexes of *Bacillus subtilis*, EM study, 553
Nuclear-cytoplasmic relations in mitosis of sea urchin eggs, γ-ray–induced damage to whole eggs and nucleate and anucleate half-eggs, cytological study, 906
Nuclei, interphase, of *Crepis capillaris*, behavior of late replicating chromatin during late portion of S period, radioautographic EM study, 939
—, isolation of, from yeast *Saccharomyces cerevisiae*, biochemical and light and EM study, 423
Nucleic acid synthetic patterns and encystment, relationships between, in aging unagitated cultures of *Acanthamoeba castellanii*, biochemical and histological study, 498
Nucleoli, of diploid cell strains, normal ultrastructure and effects of toyocamycin and actinomycin D, radioautographic and EM study, 785
—, of established cell lines KB6 and L929, distinctive characteristics of, effects of toyocamycin and actinomycin D, radioautographic and EM study, 803
Nucleolus, ultrastructure of during Chinese hamster cell cycle, radioautographic and EM study, 830
Nucleotides, adenine, and polyvalent cations, inhibition of emptying of skeletal muscle cell segments by, light microscopic study, 430

O

Oligoribonucleoproteins, isolated aggregating, of cattle hoof epidermis, histochemical and morphological characteristics of keratohyalin, biochemical and light and EM study, 405
Oocytes, of tadpoles, dense perinuclear cytoplasmic material in, cytochemical and radioautographic light and EM study, 90
Osmotic effects of electron microscope fixatives on fish scales, physical and light microscopic study, 571

P

Pancreas, of guinea pig, enzymatic activities of membrane fractions from acinar cells of, biochemical study, 150
—, of guinea pig, isolation of membrane fractions from acinar cells of, biochemical and EM study, 109
—, of guinea pig, lipid composition of rough and smooth microsomal and zymogen granule membranes and plasmalemmal fraction from acinar cells, biochemical and EM study, 130
—, of rat, effect of vincristine and deuterium oxide on microtubular system of beta cells of, stimulus-secretion coupling of glucose-induced insulin release, biochemical and EM study, 530
Paracrystals, light meromyosin, derived from red, white, and cardiac muscle myosins, EM study, 883
Particles, subcellular, from guinea pig brain, free-flow electrophoretic separation and electrical surface properties of, biochemical and EM study, 235
Perinuclear cytoplasm, dense material, in tadpole oocytes, cytochemical and radioautographic light and EM study, 90
Permeability of newborn and adult mouse lungs to ultrastructural protein tracers, influence of intravascular fluid volume on, cytochemical EM study, 319
pH, acid, effect of on macromolecular synthesis in L cells, biochemical study, 66
Phospholipid metabolism, in intact and modified erythrocyte membranes, biochemical study, 35
Pigment epithelium, role of in etiology of inherited retinal dystrophy in rat, radioautographic light and EM study, 664
Pinocytosis and hydroosmosis induced by neurohypophyseal hormones and mediated by cyclic 3′,5′-AMP, correlation between in toad bladder, cytochemical EM study, 582
Plant *Crepis capillaris*, fine structure of interphase nuclei, behavior of late replicating chromatin during late portion of S period, radioautographic EM study, 939
—, maize root tip, fragmentation of mature dictyosome cisternae of, EM study, 212
Polyribosomes, formation of in 3T3 cells during recovery from contact inhibition of replication, biochemical study, 945
Polysomes in mouse sarcoma 180 cells, attachment of ribosomes to membranes during formation of, biochemical and EM study, 683
Protein and RNA synthesis in cultured rat heart cells, effects of cortisol action on, biochemical study, 205

Protein and RNA synthesis inhibitors, decreased formation of Golgi bodies in amebae in presence of, EM study, 221
— and RNA synthesis, in L cells, effect of acid pH on, biochemical study, 66
— synthesis, effect of inhibition of on entry of messenger RNA into cytoplasm of sea urchin embryo, biochemical study, 692
— synthesis, mitochondrial specific, morphology of HeLa cells grown in absence of, EM study, 541
— tracers, ultrastructural, influence of intravascular fluid volume on permeability of newborn and adult mouse lungs to, cytochemical EM study, 319
Proteins, oligoribonucleo-, isolated aggregating, of cattle hoof epidermis, histochemical and morphological characteristics of keratohyalin, biochemical and light and EM study, 405
Proteoglycans and collagen in bovine nasal cartilage matrix, extraction of, biochemical and light and EM study, 650
Protozoan *Acanthamoeba castellanii*, morphological changes and requirements for macromolecule synthesis during excystment of, biochemical and phase-contrast microscopic study, 507
—*Acanthamoeba castellanii*, relationships between nucleic acid synthesis and encystment in aging unagitated cultures of, biochemical and histological study, 498
— *Amoeba proteus*, decreased formation of Golgi bodies in, in presence of RNA and protein synthesis inhibitors, EM study, 221
— *Amoeba proteus*, "new membrane" formation in, upon injury of individual cells, EM study, 747
— *Entamoeba histolytica*, sites of cytoplasmic ribonucleoprotein-filament assembly in relation to helical body formation in axenic trophozoites of, radioautographic and EM study, 773
— *Paramecium caudatum*, fine structure of membranous and microfibrillar systems in cortex of, EM study, 1
— *Tetrahymena pyriformis*, membrane formation in, isolation and lipid analysis of cell fractions, biochemical and EM study, 712
— *Tetrahymena pyriformis*, membrane formation in, lipid incorporation into various cellular membranes of logarithmic phase cultures, biochemical study, 722
— *Trypanosoma brucei*, acriflavin-induced dyskinetoplastic strain, retention of kinetoplast DNA in, biochemical and EM study, 189

R

Rabbit, polymorphonuclear leukocytes, characteristics of glycogen particles isolated from, biochemical and EM study, 816
—, red, white, and cardiac muscle, comparison of light meromyosin paracrystals derived from myosins of, EM study, 883
—, vascular smooth muscle, thick filaments in, EM study, 636
Radioactive label, acetylcholine-^{14}C and choline-^{14}C, free-flow electrophoretic separation and electrical surface properties of subcellular particles from guinea pig brain, biochemical and EM study, 235
Radioactive label, amino acids-^{14}C, phenylalanine-^{14}C, and cortisol-^{14}C, mechanism of cortisol action in cultured rat heart cells, effects on RNA and protein synthesis, biochemical study, 205
— label, amino acids-^{3}H, role of pigment epithelium in etiology of inherited retinal dystrophy in rat, radioautographic light and EM study, 664
— label, amino acids-^{14}C and uridine-^{3}H, effect of acid pH on macromolecular synthesis in L cells, biochemical study, 66
— label, arginine-^{3}H, lysine-^{3}H, leucine-^{3}H, phenylalanine-^{3}H, tryptophane-^{3}H, uridine-^{3}H, thymidine-^{3}H, actinomycin-^{3}H, galactose-^{3}H, fucose-^{3}H, and *n*-acetyl galactosamine-^{3}H, dense perinuclear cytoplasmic material in tadpole oocytes, cytochemical and radioautographic light and EM study, 90
— label, cholesterol-^{3}H, assessment of different tissue processing techniques for cholesterol in mouse lung, radioautographic EM study, 345
— label, cytidine-^{3}H and uridine-^{3}H, sites of cytoplasmic ribonucleoprotein-filament assembly in relation to helical body formation in axenic trophozoites of *Entamoeba histolytica*, radioautographic and EM study, 773
— label, fucose-^{3}H, in vivo and in vitro incorporation of fucose into thyroglobulin by rat thyroid follicular cells, radioautographic light and EM study, 856
— label, GABA-^{3}H, localization of sites of γ-aminobutyric acid (GABA) uptake in lobster nerve-muscle preparation, biochemical and radioautographic light and EM study, 75
— label, inorganic-^{32}P, ATP-^{32}P, α-glycerophosphate-^{32}P, and inositol-^{3}H, phospholipid metabolism in intact and modified erythrocyte membranes, biochemical study, 35
— label, lecithin-carboxyl-^{14}C and tripalmitin-carboxyl-^{14}C, lipid composition of membrane fractions of acinar cells of guinea pig pancreas, biochemical and EM study, 130
— label, leucine-^{3}H, microfilaments and cell locomotion in glial cells, radioautographic and light and EM study, 595
— label, leucine-^{3}H, renewal of rod and cone outer segments in rhesus monkey, radioautographic EM study, 303
— label, leucine-^{3}H, ultrastructure and function of growth cones and axons of cultured nerve cells, radioautographic and EM study, 614
— label, leucine-^{14}C and uridine-^{3}H, effect of protein synthesis inhibition on entry of messenger RNA into cytoplasm of sea urchin embryo, biochemical study, 692
— label, leucine-^{3}H and uridine-^{3}H, formation of polyribosomes during recovery from contact inhibition of replication, in 3T3 cells, biochemical study, 945
—label, palmitic acid-^{14}C, membrane formation in *Tetrahymena pyriformis*, isolation and lipid analysis of cell fractions, biochemical and EM study, 712
—label, palmitic acid-^{14}C, sodium acetate-^{14}C, and

chimyl alcohol-^{3}H, membrane formation in *Tetrahymena pyriformis*, lipid incorporation into various cellular membranes of logarithmic phase cultures, biochemical study, 722
Radioactive label, proline-^{14}C, leucine-^{3}H, thymidine-methyl-^{3}H, and uridine-^{3}H, morphological changes and requirements for macromolecule synthesis during excystment of *Acanthamoeba catellanii*, biochemical and phase-contrast microscopic study, 507
—label, RNA-^{3}H, indication of gene amplification in *Rhynchosciara* by RNA-DNA hybridization, biochemical study, 913
—label, thymidine-^{3}H, ATP pool levels in synchronously growing Chinese hamster cells, biochemical study, 229
—label, thymidine-^{3}H, fine structure of interphase nuclei, in *Crepis capillaris*, behavior of late replicating chromatin during late portion of S period, radioautographic EM study, 939
—label, thymidine-^{14}C, method for improving synchrony in G_2 phase of cell cycle of HeLa cells, biochemical study, 942
—label, thymidine-^{14}C and thymidine-^{3}H, ultrastructure of nucleolus during Chinese hamster cell cycle, radioautographic and EM study, 830
—label, thymidine-^{14}C and thymidine-methyl-^{3}H, specific inhibition by ethidium bromide of mitochondrial DNA synthesis in *Physarum polycephalum*, biochemical study, 546
—label, thymidine-^{3}H and uracil-^{3}H, relationships between nucleic acid synthetic patterns and encystment in aging unagitated cultures of *Acanthamoeba castellanii*, biochemical and histochemical study, 498
—label, uridine-^{3}H, distinctive characteristics of nucleoli of two established cell lines, effects of toyocamycin and actinomycin D, radioautographic and EM study, 803
—label, uridine-^{3}H and inorganic-^{32}P, transport inhibitors released by 3T3 mouse cells, relation of to growth control, biochemical study, 525
—label, uridine-^{3}H, normal ultrastructure of nucleoli of diploid cell strains, effects of toyocamycin and actinomycin D, radioautographic and EM study, 785
—label, uridine-triphosphate-^{3}H, isolation of nuclei from yeast *Saccharomyces cerevisiae*, biochemical and light and EM study, 423
—label, uridine-^{14}C and uridine-^{3}H, transport of viral RNA in KB cells infected with adenovirus type 2, biochemical study, 438
Rat, eye, role of pigment epithelium in etiology of inherited retinal dystrophy in, radioautographic light and EM study, 664
—, heart cells, effects of cortisol action on RNA and protein synthesis in, biochemical study, 205
—, hepatocyte, differentiation of endoplasmic reticulum in, glucose-6-phosphatase in rough microsomes, biochemical and cytochemical EM study, 288
—hepatocytes, differentiation of endoplasmic reticulum in, glucose-6-phosphatase distribution *in situ*, biochemical and light and cytochemical EM study, 264
Rat, liver, isolation of Golgi apparatus–rich fraction from, thiamine pyrophosphatase in, biochemical and cytochemical study, 899
—, and mouse, spermatozoa, striations in peripheral fibers of, EM study, 936
—, pancreas, effect of vincristine and deuterium oxide on microtubular system of beta cells of, stimulus-secretion coupling of glucose-induced insulin release, biochemical and EM study, 530
—, skeletal muscle, differentiating, sarcoplasmic reticulum and T tubules in, EM study, 335
—, thyroid, in vivo and in vitro incorporation of fucose-^{3}H into thyroglobulin by follicular cells of, radioautographic light and EM study, 856
— tissues, tissue culture, and bacteria, improved techniques for preparation of ultrathin frozen sections of, EM study, 731
Red blood cells, human, phospholipid metabolism in intact and modified membranes of, biochemical study, 35
Replication, in 3T3 cells, formation of polyribosomes during recovery from contact inhibition of, biochemical study, 945
Retinal dystrophy, inherited, role of pigment epithelium in etiology of, in rat, radioautographic light and EM study, 664
Ribonucleoprotein filaments, sites of cytoplasmic assembly of, in relation to helical body formation in axenic trophozoites of *Entamoeba histolytica*, radioautographic and EM study, 773
Ribosomal complexes induced by vinblastine, in mouse fibroblasts and human lymphoblasts, effect of metabolic inhibitors on formation and structure of, EM study, 927
Ribosomes, attachment of to membranes during polysome formation in mouse sarcoma 180 cells, biochemical and EM study, 683
RNA, messenger, effect of protein synthesis inhibition on entry of into cytoplasm of sea urchin embryo, biochemical study, 692
— and protein synthesis in cultured rat heart cells, effects of cortisol action on, biochemical study, 205
— and protein synthesis inhibitors, decreased formation of Golgi bodies in amebae in presence of, EM study, 221
— and protein synthesis, in L cells, effect of acid pH on, biochemical study, 66
—, viral, transport of in KB cells infected with adenovirus type 2, biochemical study, 438
RNA-DNA hybridization, indication of gene amplification in *Rhynchosciara* by, biochemical study, 913
Rod and cone outer segments, renewal of, in rhesus monkey, radioautographic EM study, 303

S

S period, in interphase nuclei of *Crepis capillaris*, behavior of late replicating chromatin during late portion of, radioautographic EM study, 939
Salivary gland, of insect *Rhynchosciara angelae*, indication of gene amplification in by RNA-DNA hybridization, biochemical study, 913

Sarcoplasmic reticulum and T tubules, in differentiating rat skeletal muscle, EM study, 335
— reticulum, ultrastructure of in cardiac muscle of finch and hummingbird, phase contrast and EM study, 50
Sea urchin *Arbacia punctulata*, embryo, effect of protein synthesis inhibition on entry of messenger RNA into cytoplasm of, biochemical study, 692
— *Arbacia punctulata*, nuclear-cytoplasmic relations in mitosis of eggs of, γ-ray–induced damage to whole eggs and nucleate and anucleate half-eggs, cytological study, 906
Sections, of cells, interpretation of surface aspects of, mathematical study, 210
—, ultrathin, accurate measurement of thickness of by interference microscopy, 947
Segments, outer, of rod and cone, renewal of, in rhesus monkey, radioautographic EM study, 303
Sheep, thyroid cell, interpretation of surface aspects of cell sections, mathematical study, 210
Skin, of frog, colchicine-like effects of other antimitotic agents on melanocyte model, cytological study, 848
Slime mold *Physarum polycephalum*, specific inhibition by ethidium bromide of mitochondrial DNA synthesis in, biochemical study, 546
Spermatozoa, of rat and mouse, striations in peripheral fibers of, EM study, 936
Spindle microtubules, distribution of during mitosis in cultured human WI-38 and HeLa cells, light and EM study, 468
Stimulus-secretion coupling of glucose-induced insulin release, effect of vincristine and deuterium oxide on microtubular system of rat pancreatic beta cells, biochemical and EM study, 530
Surface aspects of cell sections, interpretation of, mathematical study, 210
— properties, electrical, and free-flow electrophoretic separation of subcellular particles from guina pig brain, biochemical and EM study, 235
Synapse, electrotonic, in crayfish septate axon, experimental alteration of coupling resistance at, physiological study, 159
—, electrotonic, in crayfish septate axon, morphological correlates of increased coupling resistance at, light and EM study, 173
Synapses, development of in cultured fetal mouse, cerebrum continuously exposed to Xylocaine, electrophysiological and EM study, 362
Synchrony in G_2 phase of cell cycle of HeLa cells, method for improvement of, biochemical study, 942

T

T tubules and sarcoplasmic reticulum, in differentiating rat skeletal muscle, EM study, 335
Tadpoles *Rana pipiens*, *R. clamitans*, and *R. catesbeiana*, oocytes, dense perinuclear cytoplasmic material in, cytochemical and radioautographic light and EM study, 90
Thiamine pyrophosphatase, in fraction of rat liver rich in Golgi apparatus, biochemical and cytochemical study, 899
Thickness of ultrathin sections, accurate measurement of by interference microscopy, 947
Thyroglobulin, in vivo and in vitro incorporation of fucose-^{3}H into, by rat thyroid follicular cells, radioautographic light and EM study, 856
Thyroid, of rat, in vivo and in vitro incorporation of fucose-^{3}H into thyroglobulin by follicular cells of, radioautographic light and EM study, 856
Tibia, of cricket *Gryllus assimilis*, arm-bearing microtubules associated with unusual desmosome-like junction in, light and EM study, 916
Tissue culture cells, tyrosine aminotransferase in, histochemical study, 921
— culture of smooth muscle cells of chick embryo gizzard, phase contrast and EM study, 21
— processing techniques for cholesterol in mouse lung, assessment of, radioautographic EM study, 345
Tissues, biological, improved techniques for preparation of ultrathin frozen sections of, EM study, 731
Toad *Bufo marinus*, bladder, correlation between pinocytosis and hydroosmosis induced by neurohypophyseal hormones and mediated by cyclic 3′,5′-AMP in, cytochemical EM study, 582
Toyocamycin and actinomycin D, effects of on normal ultrastructure of nucleoli of diploid cell strains, radioautographic and EM study, 785
Toyocamycin and actinomycin D, effects of on nucleoli of established cell lines KB6 and L929, radioautographic and EM study, 803
Tracers, ferritin and Imferon, penetration of into junctional gap of frog muscle fiber triad, EM study, 196
—, protein, ultrastructural, influence of intravascular fluid volume on permeability of newborn and adult mouse lungs to, cytochemical EM study, 319
Transport inhibitors released by 3T3 mouse cells, relation of to growth control, biochemical study, 525
Triad, of frog muscle fiber, penetration of tracers into junctional gap of, EM study, 196
Trophozoites, axenic, of *Entamoeba histolytica*, sites of cytoplasmic ribonucleoprotein-filament assembly in relation to helical body formation in, radioautographic and EM study, 773
Tyrosine aminotransferase, in tissue culture cells, histochemical study, 921

V

Vesicles, mesosomal, and nuclear fibrils, contact of, DNA-membrane complexes of *Bacillus subtilis*, EM study, 553
Vinblastine-induced ribosomal complexes, in mouse fibroblasts and human lymphoblasts, effect of metabolic inhibitors on formation and structure of, EM study, 927
Vincristine and deuterium oxide, effect of on microtubular system of rat pancreatic beta cells, stimulus-secretion coupling of glucose-induced insulin release, biochemical and EM study, 530

Viral RNA, transport of in KB cells infected with adenovirus type 2, biochemical study, 438
Volume, intravascular fluid, influence of on permeability of newborn and adult mouse lungs to ultrastructural protein tracers, cytochemical EM study, 319

W

Wound healing, pattern of epidermal cell migration during, in mouse, light and EM study, 247

X

Xylocaine, development of synapses in cultured fetal mouse cerebrum continuously exposed to, electrophysiological and EM study, 362

Y

Yeast *Saccharomyces cerevisiae*, isolation of nuclei from, biochemical and light and EM study, 423